| Please check the examination details below before entering your candidate information |                         |  |  |  |  |  |  |
|---|-------------------------|--|--|--|--|--|--|
| Candidate surname   | Other names             |  |  |  |  |  |  |
| Pearson Edexcel Inter   |                         |  |  |  |  |  |  |
| Tuesday 13 June 20  | 23                      |  |  |  |  |  |  |
| Morning (Time: 1 hour 10 minutes)   | Paper reference 4SSO/1C |  |  |  |  |  |  |
| Science (Single Av<br>Chemistry<br>PAPER: 1C  | ward)                   |  |  |  |  |  |  |
| You must have:<br>Calculator, ruler   | Total Marks             |  |  |  |  |  |  |

## **Instructions**

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
   there may be more space than you need.
- Calculators may be used.

### Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

## **Advice**

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







# The Periodic Table of the Elements

| _                  |   |                                    |                                    |                                     |                                      |  |
|--------------------|---|------------------------------------|------------------------------------|-------------------------------------|--------------------------------------|--|
| 0 <b>He</b> 4 2 2  | 20<br><b>Ne</b><br>neon<br>10   | 40<br><b>Ar</b><br>argon<br>18     | 84<br><b>Kr</b><br>krypton<br>36   | 131<br><b>Xe</b><br>xenon<br>54     | [222]<br><b>Rn</b><br>radon<br>86    | t full y   |
| 7                  | 19<br>fluorine<br>9   | 35.5 <b>CI</b> chlorine 17         | 80<br><b>Br</b><br>bromine<br>35   | 127<br>                             | [210]<br><b>At</b><br>astatine<br>85 | orted but not  |
| 9                  | 16<br>O oxygen<br>8   | 32<br><b>S</b><br>sulfur<br>16     | 79<br><b>Se</b><br>selenium<br>34  | 128<br><b>Te</b><br>tellurium<br>52 | [209] <b>Po</b> polonium 84          | we been repo   |
| 5                  | 14 <b>N</b> nitrogen 7  | 31<br>P<br>phosphorus<br>15        | 75<br><b>As</b><br>arsenic<br>33   | 122<br>Sb<br>antimony<br>51         | 209 <b>Bi</b> bismuth 83             | s 112–116 ha<br>authenticated  |
| 4                  | 12<br>carbon<br>6   | 28<br><b>Si</b><br>silicon<br>14   | 73<br><b>Ge</b><br>germanium<br>32 | 119<br><b>Sn</b><br>tin<br>50       | 207 <b>Pb</b>                        | Elements with atomic numbers 112–116 have been reported but not full y authenticated |
| ဇ                  | 11<br>boron<br>5  | 27<br>AI<br>aluminium<br>13        | 70<br><b>Ga</b><br>gallium<br>31   | 115<br>In<br>indium<br>49           | 204<br>TI<br>thallium<br>81          | ents with ato  |
|                    |   |                                    | 65<br><b>Zn</b><br>zinc<br>30      | 112<br><b>Cd</b><br>cadmium<br>48   | 201<br><b>Hg</b><br>mercury<br>80    | Elem   |
|                    |   |                                    | 63.5<br><b>Cu</b> copper 29        | 108<br><b>Ag</b><br>silver<br>47    | 197<br><b>Au</b><br>gold<br>79       | Rg<br>roentgenium<br>111   |
|                    |   |                                    | 59<br>nickel<br>28                 | 106<br><b>Pd</b><br>palladium<br>46 | 195<br><b>Pt</b><br>platinum<br>78   | [271] <b>Ds</b> damstadtium 110  |
|                    |   |                                    | 59<br>Co<br>cobalt<br>27           | 103<br><b>Rh</b><br>rhodium<br>45   | 192 <b>F</b> indium 77               | [268] Mt meitnerium 109  |
| 1<br>T<br>hydrogen |   |                                    | 56<br>iron<br>26                   | Ru<br>ruthenium<br>44               | 190<br><b>Os</b><br>osmium<br>76     | (277] <b>Hs</b> hassium 108  |
|                    | •   |                                    | 55<br>Mn<br>manganese<br>25        | [98] <b>Tc</b> technetium 43        | 186<br><b>Re</b><br>rhenium<br>75    | [264] <b>Bh</b> bohrium 107  |
|                    | mass<br><b>ool</b><br>umber   |                                    | 52<br>Cr<br>chromium<br>24         | 96<br><b>Mo</b><br>molybdenum<br>42 | 184<br>W<br>tungsten<br>74           | [266]<br><b>Sg</b><br>seaborgium<br>106  |
| Key                | relative atomic mass<br>atomic symbol<br>name<br>atomic (proton) number |                                    | 51<br>Vanadium<br>23               | 93<br><b>Nb</b><br>niobium<br>41    | 181<br><b>Ta</b><br>tantalum<br>73   | [262] <b>Db</b> dubnium 105  |
|                    | relativ<br><b>ato</b><br>atomic   |                                    | 48<br><b>Ti</b><br>tttanium<br>22  | 91<br>Zr<br>zirconium<br>40         | 178<br><b>Hf</b><br>hafnium<br>72    | [261]<br><b>Rf</b><br>rutherfordium<br>104   |
|                    |   |                                    | 45<br>Sc<br>scandium<br>21         | 89<br><b>Y</b><br>yttrium<br>39     | 139<br><b>La*</b><br>Ianthanum<br>57 | [227] <b>Ac*</b> actinium 89   |
| 2                  | 9<br><b>Be</b><br>beryllium<br>4  | 24<br><b>Mg</b><br>magnesium<br>12 | 40<br><b>Ca</b><br>calcium<br>20   | 88<br>Sr<br>strontium<br>38         | 137<br><b>Ba</b><br>barum<br>56      | [226]<br><b>Ra</b><br>radium<br>88   |
| <del>-</del>       | 7<br>Li<br>lithium<br>3   | 23<br><b>Na</b><br>sodium<br>11    | 39<br><b>K</b><br>potassium<br>19  | 85<br><b>Rb</b><br>rubidium<br>37   | 133<br><b>Cs</b><br>caesium<br>55    | [223]<br><b>Fr</b><br>francium<br>87   |
| ·                  |   |                                    |                                    |                                     |                                      |  |

<sup>\*</sup> The lanthanoids (atomic numbers 58–71) and the actinoids (atomic numbers 90–103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.


**BLANK PAGE** 



## **Answer ALL questions.**

Some questions must be answered with a cross in a box  $\boxtimes$ . If you change your mind about an answer, put a line through the box  $\boxtimes$  and then mark your new answer with a cross  $\boxtimes$ .

- 1 This question is about the element boron, B.
  - (a) The diagram represents an atom of boron.



(i) Give the name of the central part of the atom.

(1)

(ii) Give the period number and group number of boron in the Periodic Table.

(2)

period number

group number

(iii) Give the number of electrons in a B<sup>3+</sup> ion.

(1)




| (b) | ) There are two common isotopes of boron.  |          |
|-----|--|----------|
|     | <sup>10</sup> <sub>5</sub> B <sup>11</sup> <sub>5</sub> B  |          |
|     | In terms of sub-atomic particles, give one similarity and one difference between these isotopes.  similarity | veen (2) |
|     | difference   |          |

(Total for Question 1 = 6 marks)

**2** A teacher wants to determine the percentage by volume of oxygen in a mixture of oxygen and helium.

Helium is an unreactive gas.

The teacher uses this apparatus and an excess of phosphorus.



The volume of gas in the tube decreases as the phosphorus reacts with oxygen.

The teacher measures the volume of gas in the tube at five-minute intervals.

The table shows the teacher's results.

| Time in minutes | Volume of gas in cm <sup>3</sup> |
|-----------------|----------------------------------|
| 0               | 51.7                             |
| 5               | 48.2                             |
| 10              | 46.9                             |
| 15              | 45.4                             |
| 20              | 43.8                             |
| 25              | 43.8                             |
| 30              | 43.8                             |

| (a) | State how t | the results  | show th   | nat all the | oxvaen l | has reacted. |
|-----|-------------|--------------|-----------|-------------|----------|--------------|
| (u) | State HOW   | tile results | JIIOVV CI | iac an tric | ONYGCIII | ias icacica. |

(1)

(b) Use the results to calculate the percentage of oxygen by volume in the mixture of oxygen and helium.

Give your answer to 1 decimal place.

(3)

(c) An oxide of phosphorus has the formula  $P_4O_6$  Calculate the relative formula mass ( $M_r$ ) of  $P_4O_6$ 

[for phosphorus,  $A_r = 31$  for oxygen,  $A_r = 16$ ]

(1)

$$M_r = \dots$$

(Total for Question 2 = 5 marks)



## **BLANK PAGE**

- **3** This question is about mixtures and compounds.
  - (a) The table shows some methods used in the separation of mixtures.

Place one tick ( $\checkmark$ ) in each row to show the best method for each separation.

(2)

|                                       | Method          |            |                         |                        |  |  |  |  |  |  |  |  |
|---------------------------------------|-----------------|------------|-------------------------|------------------------|--|--|--|--|--|--|--|--|
| Separation                            | Crystallisation | Filtration | Fractional distillation | Simple<br>distillation |  |  |  |  |  |  |  |  |
| kerosene from crude oil               |                 |            |                         |                        |  |  |  |  |  |  |  |  |
| water from potassium nitrate solution |                 |            |                         |                        |  |  |  |  |  |  |  |  |

(b) Rock salt is a mixture of sand and salt.

Salt is soluble in water.

Describe a method to separate the sand and the salt from a sample of rock salt.

(3)

| <br>  |
|------|------|------|------|------|------|------|------|------|------|------|-------|
|      |      |      |      |      |      |      |      |      |      |      |       |
|      |      |      |      |      |      |      |      |      |      |      |       |
| <br> | <br>• |
|      |      |      |      |      |      |      |      |      |      |      |       |
| <br> |       |
|      |      |      |      |      |      |      |      |      |      |      |       |
|      |      |      |      |      |      |      |      |      |      |      |       |
| <br>  |





(3)

(c) A student uses paper chromatography to separate the dyes contained in food colourings.

The student places spots of four known food colourings, W, X, Y and Z, on the chromatography paper.

The diagram shows the chromatography paper at the start and at the end of the experiment.





solvent front

(i) Describe how the student should complete the experiment after placing the four spots on the paper.

| <br> | <br> | <br> |
|------|------|------|
|      |      |      |
|      |      |      |
| <br> | <br> | <br> |
|      |      |      |
|      |      |      |
|      |      |      |
|      |      |      |
|      |      |      |
|      |      |      |
|      | <br> | <br> |
|      |      |      |
|      |      |      |
| <br> | <br> | <br> |

| Do          | not   | include any calculations.   | (2) |
|-------------|-------|---|-----|
| (iii) Giv   |       | reason why food colouring X does not move during the experiment.                |     |
| (III) GIV   | , c u | cason why lood colouring x does not move during the experiment.                 | (1) |
| (d) A com   | pou   | nd has the formula Al <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>              |     |
| (i) Ho      | w m   | any different elements are in Al <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ? |     |
| X           | Α     | 3   | (1) |
| $\times$    | В     | 4   |     |
| $\times$    | C     | 5   |     |
| $\boxtimes$ | D     | 9   |     |
| (ii) Ho     | w m   | any atoms are in the formula Al <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ?  | (1) |
| $\times$    | Α     | 3   | (1) |
| $\boxtimes$ | В     | 10  |     |
| X           | c     | 17  |     |
|             | D     | 21  |     |
| $\boxtimes$ |       |   |     |



(a) (i) Complete the equation for the reaction between sodium and water by adding the state symbols.

(2)

 $2Na(....) + 2H_2O(...) \rightarrow 2NaOH(...) + H_2(...)$ 

(ii) Give two observations that would be made when a small piece of sodium is added to a large trough containing water.

(2)

2 .

(iii) At the end of the reaction, a few drops of red litmus indicator are added to the trough.

Explain the final colour of the indicator.

(2)

(b) A small piece of a different Group 1 metal is added to water. The reaction is faster than the reaction of sodium with water, and a lilac flame is seen.

Identify this Group 1 metal.


(1)

(Total for Question 4 = 7 marks)

**BLANK PAGE** 



**5** A student uses this apparatus to investigate the rate of reaction between calcium carbonate powder and an excess of dilute hydrochloric acid.




This is the equation for the reaction.

$$CaCO_3(s) + 2HCl(aq) \rightarrow CaCl_2(aq) + H_2O(l) + CO_2(q)$$

The student records the mass of the flask and its contents every 20 seconds for two minutes.

The graph shows the student's results.




(a) (i) Give a reason why using a cotton wool plug makes the results more accurate.

(1)

| (ii) Give a reason why the reaction stops.  | (1) |
|---|-----|
| <ul> <li>(b) The student repeats the experiment using the same mass of calcium carbonate, but uses lumps instead of powder.</li> <li>The rate of reaction decreases.</li> <li>(i) Describe how the curve on the graph would change when lumps of calcium carbonate are used.</li> </ul> | (2) |
| (ii) Give a reason why the rate of reaction decreases when lumps of calcium carbonate are used.   | (1) |
| (c) The mean rate of reaction can be determined using this formula. $mean \ rate \ of \ reaction = \frac{mass \ lost}{time \ taken \ to \ lose \ this \ mass}$ Determine the mean rate of reaction during the first 10 seconds.  Give the unit. $mean \ rate \ of \ reaction = unit$    | (3) |
| (Total for Question 5 = 8 m   |     |



- **6** This question is about fuels.
  - (a) A scientist uses this apparatus to find the heat energy change when ethanol (C<sub>2</sub>H<sub>5</sub>OH) is burned.



(i) These are the scientist's results.

| mass of water                     | 150 g  |
|-----------------------------------|--------|
| temperature of water at the start | 21.5°C |
| maximum temperature of water      | 62.7°C |

Calculate the heat energy change, in joules.

[for water, 
$$c = 4.2 \text{ J/g/}^{\circ}\text{C}$$
]

(3)

heat energy change = ......J

(ii) Give one reason why the apparatus produces an inaccurate value for the heat energy change.

(1)

| (b) | Octane | $(C_8H_{18})$ | is | another | fuel. |
|-----|--------|---------------|----|---------|-------|
|-----|--------|---------------|----|---------|-------|

(i) Identify a toxic gas produced by the incomplete combustion of octane.

(1)

(ii) Identify a black solid produced by the incomplete combustion of octane.

(1)

(c) Petrol contains octane.

Describe one way that the combustion of petrol causes acid rain.

Do not refer to carbon dioxide in your answer.

(3)

- (d) When heated in the absence of air, octane can decompose to form ethene and one other product.
  - (i) Complete the equation for this decomposition of octane.

(1)

$$C_8H_{18} \rightarrow C_2H_4 + \dots$$

(ii) Poly(ethene) is produced from ethene.

Give the repeat unit of poly(ethene).

(1)


(Total for Question 6 = 11 marks)



- 7 Silicon chloride and silicon dioxide have different structures, but both contain covalent bonds.
  - (a) (i) State what is meant by the term **covalent bond**.

(2)

(ii) Diagram 1 shows the structure of silicon dioxide.



Key

- silicon atom
- oxygen atom

Diagram 1

Diagram 2 shows a molecule of silicon chloride.

Diagram 2



| Explain why silicon dioxide has a higher melting point than silicon chloride. |     |
|---|-----|
| Refer to structure and bonding in your answer.                                |     |
|   | (5) |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |

# **QUESTION 7 CONTINUES ON NEXT PAGE**



- (b) Silicon chloride reacts with water, producing silicon dioxide and hydrogen chloride.
  - (i) Complete the chemical equation for the reaction between silicon chloride and water.

(1)

$$SiCl_4(l) + \dots H_2O(l) \rightarrow SiO_2(s) + \dots HCl(g)$$

(ii) Hydrogen chloride gas dissolves in water to produce an acidic solution.

Describe a test, other than using an indicator, to show that the solution is acidic.

(2)

(Total for Question 7 = 10 marks)

**TOTAL FOR PAPER = 60 MARKS**